

PROCEEDINGS OF SPIE

# ***Optical Precision Manufacturing, Testing, and Applications***

**John W. McBride**  
**JiuBin Tan**  
**Sen Han**  
**Xuejun Zhang**  
*Editors*

**22–24 May 2018**  
**Beijing, China**

*Organized by*

Chinese Society for Optical Engineering (CSOE) (China)  
Photoelectronic Technology Committee, Chinese Society of Astronautics (China)  
Photoelectronic Industrialization Committee, CHIA (China)  
Department of Cooperation and Coordination for Industry, Academe and Research, CHIA (China)  
Science and Technology on Low-light-level Night Vision Laboratory (China)

*Sponsored by*

Division of Information and Electronic Engineering of Chinese Academy of Engineering (China)  
Chinese Society for Optical Engineering (CSOE) (China)

*Published by*

SPIE

**Volume 10847**

Proceedings of SPIE 0277-786X, V. 10847

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIEDigitalLibrary.org](http://SPIEDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optical Precision Manufacturing, Testing, and Applications*, edited by John W. McBride, JiuBin Tan, Sen Han, Xuejun Zhang, Proceedings of SPIE Vol. 10847 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510623361

ISBN: 9781510623378 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

[SPIE.org](http://SPIE.org)

Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL LIBRARY**

[SPIEDigitalLibrary.org](http://SPIEDigitalLibrary.org)

---

**Paper Numbering:** *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

vii	<i>Authors</i>
ix	<i>Conference Committee</i>
xi	<i>Introduction</i>

---

## OPTICAL PRECISION MANUFACTURING, TESTING, AND APPLICATIONS

---

10847 02	<b>The influence of the stray light on MTF in optical system [10847-1]</b>
10847 03	<b>Method of optical vortex generation by cascaded spiral phase plates [10847-3]</b>
10847 04	<b>Research on computer controlled ultra-precision polishing of freeform surfaces [10847-4]</b>
10847 05	<b>Semiconductor laser thermal design optimization and analysis [10847-5]</b>
10847 06	<b>High accuracy wavefront reconstruction with slope and coordinate compensation [10847-6]</b>
10847 07	<b>Effect of precession mode on the surface error of optical components in bonnet polishing [10847-7]</b>
10847 08	<b>Study on the design and preparation of wideband deep cutoff bandpass filter [10847-8]</b>
10847 09	<b>A novel camera calibration method without distortion model [10847-9]</b>
10847 0A	<b>Progress on fabrication and metrology technology study for M3M of TMT [10847-10]</b>
10847 0B	<b>Laboratory results on the dependence of dark current upon environmental temperature variability for Satlantic's OCR504 radiometers [10847-11]</b>
10847 0C	<b>Defects scattering imaging system of 20 inch PMTs' glass shell suitable for digital image processing [10847-12]</b>
10847 0D	<b>Diffraction field simulation of waveguide grating coupler with variable periods [10847-13]</b>
10847 0E	<b>Influence of motion modes on surface quality in CCOS [10847-14]</b>
10847 0F	<b>A measurement and separation method for perpendicular errors of rotary axes [10847-15]</b>
10847 0G	<b>The application of adaptive theory in MEMS gyro error compensation [10847-16]</b>

- 10847 OH **Design and fabrication of high precision optical fiber coil based on temperature error model** [10847-17]
- 10847 OI **Ratiometric wavelength monitor based on Mach-Zehnder interferometer over a 80nm wavelength range** [10847-19]
- 10847 OJ **Fiber coupling technology of white LED** [10847-20]
- 10847 OK **Optimization of large-aperture optics clean assembly method** [10847-21]
- 10847 OL **Sand erosion durability of protective SiC thin film deposited by magnetron sputtering in the middle infrared bands** [10847-22]
- 10847 OM **Modeling for the thermal stress damage of the optical elements induced by high energy laser** [10847-23]
- 10847 ON **Pushing cavities to the edge for future gravitational wave detectors** [10847-26]
- 10847 OO **Repeatability study on different interference systems** [10847-27]
- 10847 OP **Effect of magnetorheological processing parameters on polishing spots** [10847-28]
- 10847 OQ **Optical design of LED street lamp based on freeform surface lens** [10847-29]
- 10847 OR **Research of controlling the optical face of CaF<sub>2</sub> crystal elements on optical grinding and polishing** [10847-30]
- 10847 OS **Design of computer generated hologram for testing the wedged focus lens with large aperture** [10847-31]
- 10847 OU **Fabrication of subwavelength nanostructured grating for generating radially polarized light by using focused iron beam** [10847-38]
- 10847 OV **A wide range fiber turbidity sensor based on single photon detection technique with an optimal optical power** [10847-40]
- 10847 OW **Weighted fault-tolerant topology of wireless sensor networks** [10847-41]
- 10847 OX **Effects of fabrication errors on MTF and diffraction efficiency for binary optical lens** [10847-42]
- 10847 OY **Self-calibration and high-accuracy detection technology for the probability density of polarization state of a light field** [10847-43]
- 10847 OZ **The defocused helical structure of two superposed vortex beams** [10847-44]
- 10847 IO **Development of an integrated freeform optics measurement system based on phase measuring deflectometry** [10847-45]

- 10847 11 **Optimization of transverse translation diverse phase retrieval for optical elements with mid-spatial frequency errors** [10847-47]
- 10847 12 **High efficiency fabrication of 3D curved glass by full-motor-driving precision molding** [10847-49]
- 10847 13 **Calibration of mercury lamp wavelength** [10847-50]

Precision Optical to Exhibit at Photonics West Booth# 338 Precision Optical: our name embodies who we are. Since 1959, Precision Optical has earned a widely recognized reputation for reliability, value, and quality precision optics for the most demanding applications worldwide. An ISO 9001:2015 certified and ITAR-registered company, Precision Optical offers a diverse portfolio of capabilities for the prototyping and large-volume production of precision optical components for the biomedical, aerospace, defense, semiconductor, metrology and laser industries. [Read Article](#). [Contact Information](#). Precision components are manufactured using electrical discharge machining, often in large numbers. Vibrating piezo actuators make a crucial contribution here. Hexapods in Mechanical Engineering. Testing aspherical shape accuracy requires the measurement of the smallest deviations in the nanometer range and short measuring and set-up times. The solution is a new interferometer from metrology company Mahr. As part of the overall system, the hexapod positions lenses and the calibration sphere. Optical fabrication and testing spans an enormous range of manufacturing procedures and optical test configurations. The manufacture of a conventional spherical lens typically begins with the generation of the optic's rough shape by grinding a glass blank. This can be done, for example, with ring tools. Next, the lens surface is polished to its final form. Typically this is done by lapping—rotating and rubbing the rough lens surface against a tool with the desired surface shape, with a mixture of